

NO. 73280

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 26 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 06 2005

The applicant **VICTOR GORDON AND DEMETRIA KALFAS-GORDON** hereby makeS application for permission to change the **PLACE OF USE, POINT OF DIVERSION AND MANNER OF USE OF A PORTION**. of water heretofore appropriated under **PERMIT 11158, CERTIFICATE 3079**

1. The source of water is **UNDERGROUND SOURCE**
2. The amount of water to be changed **ONE ACRE FOOT, 0.0014 C.F.S.**
3. The water to be used for **QUASI-MUNICIPAL PURPOSES**
4. The water heretofore permitted for **IRRIGATION AND DOMESTIC**
5. The water is to be diverted at the following point **WITHIN THE NORTHEAST QUARTER (NE ¼) OF THE NORTHWEST QUARTER (NW¼) OF SECTION 29, T19S, R60E, MDM, OR AT A POINT FROM WHICH THE NORTH ONE-QUARTER (N¼) OF SAID SECTION 29, BEARS NORTH 57°09'27" EAST A DISTANCE OF 1575.50 FEET (RECORD TIE)**
6. The existing permitted point of diversion is located within **THE NORTHEAST QUARTER (NE¼) OF THE SOUTHWEST QUARTER (SW¼) OF SECTION 20, T20S, R61E, MDM, OR AT A POINT FROM WHICH THE WEST ONE-QUARTER (W¼) CORNER OF SAID SECTION 20, BEARS NORTH 51°29' WEST A DISTANCE OF 1738.8 FEET (RECORD TIE)**
7. Proposed place of USE **LOT 4 OF PARCEL MAPS, FILE 83, PAGE 17, PTN. NE¼ SW¼ NE¼ NW¼, SECTION 29, T19S, R60E, MDM. ASSESSOR PARCEL NUMBER 125-29-101-037**
8. Existing place of use **PORTION OF THE S½ NE¼ SW¼, SECTION 20, T20S, R61E, MDM. PORTION OF APN 139-20-301-013 0.138 ACRE TO BE STRIPPED FORM IRRIGATION.**
9. Use will be from **JANUARY 1ST to DECEMBER 31ST** of each year.
10. Use was permitted from **JANUARY 1ST to DECEMBER 31ST** of each year.
11. Description of proposed works **NO ADDITIONAL FUNDS TO BE SPENT. WELL IS EXISTING. DRILLED UNDER PERMIT 61063.**
12. Estimated cost of works **NONE**
13. Estimated time required to construct works **EXISTING STEEL CASED WELL, SUBMERSIBLE PUMP, STORAGE SYSTEM, TOTALIZING METER AND APPRUNTENCES.**
14. Estimated time required to complete the application of water to beneficial use **3 YEARS**

15. Remarks: WATER TO SERVE ONE HOUSE ON A ONE-HALF LOT. THERE ARE CURRENTLY 3 PERMITS THAT THE EXISTING WELL SERVES. 61063, 65450, AND 69902.

By DEMETRIA KALFAS-GORDON
s/ DEMETRIA KALFAS-GORDON
AGENT: FULSTONE ENTERPRISES, INC.
940 S. MARTIN L. KING BLVD.
LAS VEGAS, NEVADA 89106

Compared mt/gkl lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 11158, Certificate 3079, is issued subject to the terms and conditions imposed in said Permit 11158, Certificate 3079, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 61063, 65450, 69902 and 73280 shall not exceed 10.48 acre-feet annually.

Permit 73280 is granted to provide additional water service to one lot described as Clark County Assessor's Parcel (APN) 125-29-101-037.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0014 cubic feet per second, and not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

July 17, 2009

Proof of the application of water to beneficial use shall be filed on or before:

August 17, 2009

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 17th day of July A.D. 2006

Tracy Taylor, P.E.
State Engineer

Completion of work filed June 13, 2002 under 65450

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____